

# Spreader calibrations - POLY-CAN 23-0-2 + 7 SO<sub>3</sub> + CaO + MgO

The spreader settings below are for guidance only. The exact fertiliser rates and spreading patterns using these settings cannot be guaranteed as the application will be affected by the condition of the spreader itself and the environmental conditions at the time of application, the spread width and the target application rate.

To ensure greater accuracy, the spreader should be recalibrated for application rate and spread pattern using a tray test.

Product Name	Spreader (Make/Model)	Spread Width (m)	Disc/Vane Type	Spreader Height	Tilt (o)	PTO /Disc speed (rpm)	Vane setting / Drop on point/Discharge point	Application rate kg/ha	Forward speed km/h
POLY-CAN	Amazone ZA-TS	24	TS2	80	0	Disc 720	5	150	10
POLY-CAN	Amazone ZA-TS	32	TS2	80	0	Disc 720	20	250	10
POLY-CAN	Amazone ZA-TS	36	TS2	80	0	Disc 720	30	250	10
POLY-CAN	Amazone ZA-TS	36	TS3	80	0	Disc 600	0	250	10
POLY-CAN	Amazone ZA-V	24	V Set 3	80	0	PTO 720	8/40	250	10
POLY-CAN	Amazone ZA-V	32	V Set 3	80	0	PTO 720	10/42	250	10
POLY-CAN	Amazone ZA-V	36	V Set 3	80	0	PTO 720	12/44	250	10
POLY-CAN	Amazone ZA-V	24	V Set 2	80	0	PTO 720	11/40	250	10
POLY-CAN	Amazone ZA-M Ultra	24	OM 24-48	80	0	PTO 720	13/40	250	10
POLY-CAN	Amazone ZA-M Ultra	32	OM 24-48	80	0	PTO 720	17/44	250	10
POLY-CAN	Amazone ZA-M Ultra	36	OM 24-48	80	0	PTO 720	18/47	250	10
POLY-CAN	Amazone ZA-M	24	OM 18-24	80	0	PTO 540	19/44	250	10
POLY-CAN	Amazone ZA-M	24	OM 24-36	80	0	PTO 540	9/44	250	10
POLY-CAN	Amazone ZA-M	32	OM 24-36	80	0	PTO 540	12/46	250	10
POLY-CAN	Amazone ZA-M	36	OM 24-36	80	0	PTO 540	13/49	250	10

**Talk to us about prescription nutrition**

t: 03333 239 230 e: [enquiries@originfertilisers.co.uk](mailto:enquiries@originfertilisers.co.uk) [www.originfertilisers.co.uk](http://www.originfertilisers.co.uk)    @originfert

# Spreader calibrations - POLY-CAN 23-0-2 + 7 SO<sub>3</sub> + CaO + MgO

The spreader settings below are for guidance only. The exact fertiliser rates and spreading patterns using these settings cannot be guaranteed as the application will be affected by the condition of the spreader itself and the environmental conditions at the time of application, the spread width and the target application rate.

To ensure greater accuracy, the spreader should be recalibrated for application rate and spread pattern using a tray test.

Product Name	Spreader (Make/Model)	Spread Width (m)	Disc/Vane Type	Spreader Height	Tilt (o)	PTO /Disc speed (rpm)	Vane setting / Drop on point/ Discharge point	Application rate kg/ha	Forward speed km/h
POLY-CAN	KRM M35 Base Trend	24	E6T	75	0	PTO 540	1/2	250	10
POLY-CAN	KRM M35 Base Trend	32	E6T	75	6	PTO 540	1/2	250	10
POLY-CAN	KRM M35 Base Trend	36	E8T	75	4	PTO 540	1/2	250	10
POLY-CAN	Kuhn Axis 30.1	24	S4	60	0	PTO 540	3.5	250	10
POLY-CAN	Kuhn Axis 30.1	32	S6	60	0	PTO 540	2.5	250	10
POLY-CAN	Kuhn Axis 30.1	32	S8	60	0	PTO 540	3.5	250	10
POLY-CAN	Kuhn Axis 30.1	32	S6	60	0	PTO 540	4	250	10
POLY-CAN	Kuhn Axis 30.1	36	S8	50	0	PTO 540	6	250	10
POLY-CAN	Kverneland Exacta HL	24	285/285/285	75	0	DISC 950	N	200	10
POLY-CAN	Kverneland Exacta HL	32	285/285/285	75	8	DISC 950	Q	250	10
POLY-CAN	Kverneland Exacta HL	36	285/285/285	75	8	DISC 950	M	250	10
POLY-CAN	Kverneland Exacta HL	36	Lift vanes	75	0	DISC 950	P	250	10

**Talk to us about prescription nutrition**

t: 03333 239 230 e: [enquiries@originfertilisers.co.uk](mailto:enquiries@originfertilisers.co.uk) [www.originfertilisers.co.uk](http://www.originfertilisers.co.uk)    @originfert

# Spreader calibrations - POLY-CAN 23-0-2 + 7 SO<sub>3</sub> + CaO + MgO

The spreader settings below are for guidance only. The exact fertiliser rates and spreading patterns using these settings cannot be guaranteed as the application will be affected by the condition of the spreader itself and the environmental conditions at the time of application, the spread width and the target application rate.

To ensure greater accuracy, the spreader should be recalibrated for application rate and spread pattern using a tray test.

Product Name	Spreader (Make/Model)	Spread Width (m)	Disc/Vane Type	Spreader Height	Tilt (o)	PTO /Disc speed (rpm)	Vane setting / Drop on point/ Discharge point	Application rate kg/ha	Forward speed km/h
POLY-CAN	Teagle Centerliner SX	24	268	75	0	PTO 540	N/A	250	10
POLY-CAN	Teagle Centerliner SX	32	268	85	7.5	PTO 540	N/A	250	10
POLY-CAN	Teagle Centerliner SX	36	268	85	10	PTO 540	N/A	250	10

Talk to us about prescription nutrition

t: 03333 239 230 e: enquiries@originfertilisers.co.uk www.originfertilisers.co.uk  @originfert